

From: [Vega, Luis](#)
To: [Vincent Malott/R6/USEPA/US@EPA](#)
Subject: Circle Ct.
Date: 09/10/2012 04:46 PM

Hi Vince

With respect to the ground water sampling events, I'm trying to estimate the level of support likely to be provided by EPA in order to determine the duration of each sampling event. Please revise my assumptions regarding EPA staffing (boldface type) accordingly:

Tap Water Sampling (60 wells in 4 days, or 7-8 taps per day per team x 2 teams)

1 Site Manager (EPA)

2 Tap Water Sampling Teams x 2 Samplers/Team (total of 4 EPA samplers)

1 Sample Manager (EA)

1 Asst. Sample Manager/Runner/Sampler (EA)

PDB Sampling (≤ 4 PDBs per MW x 12 MWs; 3 days to sample/refill/redeploy, or 4 MWs per day)

1 Site Manager (EPA)

1 PDB Sampling Team x 3 Samplers/Team (total of 3 EPA samplers)

1 Sample Manager (EA)

1 Asst. Sample Manager/Runner/Sampler (EA)

NOTE: EA will order, prepare (fill), and deploy the PDBs 2 weeks prior to each PDB sampling event

Thanks

Luis Vega

EA Engineering, Science, and Technology, Inc.

405 S. Highway 121, Suite C-100

Lewisville, TX 75067

Main: 972-315-3922

Direct: 972-459-5040

Fax: 972-315-5181

Cell: 214-280-9031

E-mail: lvega@eaest.com<<mailto:lvega@eaest.com>>